<i>(</i> ************************************	Application No.	Applicant(s)
Notice of Allowability	10/758,625	TAKATA ET AL.
	Examiner	Art Unit /
	Adam M. Queler	2178
· · · · · · · · · · · · · · · · · · ·		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment After Final filed 1/5/2007</u> .		
2. The allowed claim(s) is/are 3,7,13-15 and 19-22.		
 3.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amendr	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	<u>_</u>	ent of Reasons for Allowance
of Biological Material	_	ent of Neasons for Allowance
	9.	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Sivon Kalminov on 1/22/07.

- 2. This application is in condition for allowance except for the presence of claims 5 and 8 directed to an invention non-elected without traverse. Accordingly, claims 5 and 8 have been cancelled.
- 3. The application has been amended as follows: Cancel claims 5 and 8

Amend claim 7 as follows:

7. An electronic device for editing multimedia content including metadata, the electronic device comprising:

a memory - the memory-comprising:configured to store computer-executable instructions; and

a processor for executing the computer-executable instructions stored in the memory, the computer-executable instructions comprising instructions for:

<u>logica receiving electronic component configured to receive receiving</u>
operation information about an editing operation; and

<u>Ingieum-adding-electronie-component-configured-to-adding</u> the operation information to the metadata; <u>and</u>

<u>logica writing electronic component configured to writeing</u> reliability information to the metadata; <u>and</u>

<u>logica reading electronic component configured to-reading</u> the operation information and reliability information from the metadata; and

<u>logica</u> determination electronic component configured to determineing, in accordance with the operation information and the reliability information, whether the metadata is usable for edited multimedia content edited by the editing operation,

wherein, if the metadata is determined to be usable, the metadata is added to the edited multimedia content.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Adam M. Queler whose telephone number is (571) 272-4140. The examiner can normally be reached on Monday-Friday.

Art Unit: 2178

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Hong can be reached on (571) 272-4124. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AQ

STEPHEN HONG
SUPERVISORY PATENT EXAMINER